

Sheringham and Beeston Regis Commons SSSI /SAC

FAUNA: Hoverflies

INSECTA (Pterygota)	Family/Order	English Name.	Scientific Name.	Authority.	Grid Ref. Km sq.	Tetrad/ Common.	Last Record.
DIPTERA (Hoverflies).	SYRPHIDAE:	<b>Hover-fly.</b>	<i>Eristalis tenax</i>	(Linnaeus, 1758)	TG1642/41	14R,14Q/BS	2020
		<b>Hover-fly.</b>	<i>Eristalis pertinax</i>	(Scopoli, 1763)	TG1642/41	14R,14Q/BS	2020
		<b>Hover-fly.</b>	<i>Eristalis arbustorum</i>	(Linnaeus, 1758)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Eristalis nemorum</i>	(Linnaeus, 1758)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Eristalis horticola</i>	(De Geer, 1776)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Eristalis intricarius</i>	(Linnaeus, 1758)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Brachypalpoides lentus</i>	(Meigen, 1822)	TG1642	14R/S	2016
		<b>Hover-fly.</b>	<i>Eristalinus sepulchalis</i>	(Linnaeus, 1758)	TG1642	14R/S	2020
		<b>Hover-fly.</b>	<i>Syrphus vitripennis</i>	Meigen, 1822	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Syrphus ribesii</i>	(Linnaeus, 1758)	TG1642/41	14R,14Q/B	2018
		<b>Hover-fly.</b>	<i>Syrphus torvus</i>	Osten-Sacken, 1875	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Leucozona laternaria</i>	(Müller, 1776)	TG1642	14R/B	2013
		<b>Hover-fly.</b>	<i>Leucozona lucorum</i>	(Linnaeus, 1758)	TG1642	14R/BS	2018
		<b>Hover-fly.</b>	<i>Baccha elongata</i>	(Fabricius, 1775)	TG1641	14Q/B	2018
		<b>Hover-fly.</b>	<i>Pyrophaena granditarsa</i>	(Forster, 1771)	TG1642		1975
		<b>Hover-fly.</b>	<i>Pyrophaena rosarum</i>	(Fabricius, 1787)	TG1642	14R/BS	2018
		<b>Hover-fly.</b>	<i>Syritta pipiens</i>	(Linnaeus, 1758)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Helophilus hybridus</i>	Loew, 1846	TG1642	14R/S	2019
		<b>Hover-fly.</b>	<i>Helophilus pendulus</i>	(Linnaeus, 1758)	TG1642/41	14R,14Q/BS	2020
		<b>Hover-fly.</b>	<i>Helophilus trivittatus</i>	Fabricius, 1805	TG1642	14R/BS	2020
		<b>Hover-fly.</b>	<i>Parhelophilus</i> sp.		TG1642	14R/B	2009
		<b>Hover-fly.</b>	<i>Anasimyia lineata</i>	(Fabricius, 1787)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Volucella bombylans</i> var. <i>bombylans</i>	(Linnaeus, 1758)	TG1642/41	14R,14Q/B	2020
		<b>Hover-fly.</b>	<i>Volucella bombylans</i> var. <i>plumata</i>	(Linnaeus, 1758)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Volucella pellucens</i>	(Linnaeus, 1758)	TG1642/41	14R,14Q/B	2020
		<b>Hover-fly.</b>	<i>Volucella inflata</i>	(Fabricius, 1794)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Volucella inanis</i>	(Linnaeus, 1758)	TG1642	14R/BS	2020
		<b>Hover-fly.</b>	<i>Volucella zonaria</i>	(Poda, 1761)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Criorhina floccosa</i>	(Meigen, 1822)	TG1641	14Q, 14R/B	2014
		<b>Hover-fly.</b>	<i>Criorhina berberina</i>	(Fabricius, 1805)	TG1642	14R/B	2015
		<b>Hover-fly.</b>	<i>Sericomyia (Arctophila) superbiens</i>	(Müller, 1776)	TG1642	14R/B	2013
		<b>Hover-fly.</b>	<i>Sphaerophoria scripta</i>	(Linnaeus, 1758)	TG1642	14R/BS	2020
		<b>Hover-fly.</b>	<i>Sphaerophoria menthastri</i>	(Linnaeus, 1758)	TG1642		1989
		<b>Hover-fly.</b>	<i>Trichopsomyia flavitarsis</i>	(Meigen, 1822)	TG1642		1975
		<b>Hover-fly.</b>	<i>Melanostoma mellinum</i>	(Linnaeus, 1758)	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Melanostoma scalare</i>	(Fabricius, 1794)	TG1642	14R/B	2017
		<b>Hover-fly.</b>	<i>Neoascia podagrica</i>	(Fabricius, 1775)	TG1642	14R/BS	2016
		<b>Hover-fly.</b>	<i>Neoascia geniculata</i>	(Meigen, 1822)	TG1642		1987?
		<b>Hover-fly.</b>	<i>Neoascia tenur</i>	(Harris, 1780)	TG1642		2016
		<b>Hover-fly.</b>	<i>Xylota segnis</i>	(Linnaeus, 1758)	TG1642/41	14R,14Q/B	2020
<b>Hover-fly.</b>	<i>Xylota sylvarum</i>	(Linnaeus, 1758)	TG1642	14R/B	2020		
<b>Hover-fly.</b>	<i>Cheilosia illustrata</i>	(Harris, 1780)	TG1642	14R/B	2020		

Sheringham and Beeston Regis Commons SSSI /SAC

FAUNA: Hoverflies

INSECTA (Pterygota)	Family/Order	English Name.	Scientific Name.	Authority.	Grid Ref. Km sq.	Tetrad/ Common.	Last Record.
		<b>Hover-fly.</b>	<i>Cheilosia vernalis</i>	(Fallén, 1817)	TG1642		1975
		<b>Hover-fly.</b>	<i>Cheilosia impressa</i>	Loew, 1840	TG1642		1975
		<b>Hover-fly.</b>	<i>Cheilosia antiqua</i>	Meigen, 1822	TG1642		1987?
		<b>Hover-fly.</b>	<i>Cheilosia longula</i>	(Zetterstedt, 1838)	TG1642		1987?
		<b>Hover-fly.</b>	<i>Cheilosia albitarsis</i>	Meigen, 1822	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Cheilosia albipila</i>	Meigen, 1838	TG1642	14R/S	2020
		<b>Hover-fly.</b>	<i>Cheilosia chrysocoma</i>	(Meigen, 1822)	TG1642	14R/B	2018
		<b>Hover-fly.</b>	<i>Cheilosia pagana</i>	(Meigen, 1822)	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Cheilosia pubera</i>	Zetterstedt, 1838	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Cheilosia fraterna</i>	(Meigen, 1830)	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Cheilosia scutellata</i>	(Fallén, 1817)	TG1642	14R/B	2017
		<b>Hover-fly.</b>	<i>Cheilosia variabilis</i>	(Panzer, [1798])	TG1642	14R/B	2017
		<b>Hover-fly.</b>	<i>Ferdinandea cuprea</i>	(Scopoli, 1763)	TG1642/41	14R,14Q/BS	2020
		<b>Hover-fly.</b>	<i>Scaeva pyrastris</i>	(Linnaeus, 1758)	TG1642	14R/B	2020
		<b>Yellow-clubbed Hover-fly.</b>	<i>Scaeva selenitica</i>	(Meigen, 1822)	TG1642	14R/B	2015
		<b>Hover-fly.</b>	<i>Platycheirus fulviventris</i>	(Macquart, 1827)	TG1642		1975
		<b>Hover-fly.</b>	<i>Platycheirus clypeatus</i>	(Meigen, 1822)	TG1642		2020
		<b>Hover-fly.</b>	<i>Platycheirus angustatus</i>	(Zetterstedt, 1843)	TG1642		2014
		<b>Hover-fly.</b>	<i>Platycheirus albimanus</i>	(Fabricius, 1781)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Platycheirus manicatus</i>	(Meigen, 1822)	TG1642		1989
		<b>Hover-fly.</b>	<i>Platycheirus occultus</i>	Goeldlin de Tiefenau, Maibach & Speight, 1990	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Platycheirus rosarum</i>	(Fabricius, 1787)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Platycheirus pelatus</i>	(Meigen, 1822)	TG1642	14R/B	2016
		<b>Hover-fly.</b>	<i>Rhingia campestris</i>	Meigen, 1822	TG1642	14R/BS	2020
		<b>Hover-fly.</b>	<i>Chrysotoxum verralli</i>	Collin, 1940	TG1642	14R/BS	2011
		<b>Hover-fly.</b>	<i>Chrysotoxum cautum</i>	(Harris, 1776)	TG1642	14R/BS	2020
		<b>Hover-fly.</b>	<i>Xanthogramma pedissequum</i>	(Harris, 1776)	TG1642	14R/B	2019
		<b>Hover-fly.</b>	<i>Chrysotoxum festivum</i>	(Linnaeus, 1758)	TG1642	14R/BS	2020
		<b>Hover-fly.</b>	<i>Chrysotoxum bicinctum</i>	(Linnaeus, 1758)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Paragus haemorrhous</i>	Meigen, 1822	TG1642	14R/B	2012
		<b>Hover-fly.</b>	<i>Leucozona glaucia</i>	(Linnaeus, 1758)	TG1642	14R/B	2009
		<b>Hover-fly.</b>	<i>Dasysyrphus albostrigatus</i>	(Fallén, 1817)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Dasysyrphus pinastri</i>	(De Geer, 1776)	TG1642		1989
		<b>Hover-fly.</b>	<i>Dasysyrphus venustus</i>	(Meigen, 1822)	TG1642	14R/S	2004
		<b>Hover-fly.</b>	<i>Dasysyrphus tricinctus</i>	(Fallén, 1817)	TG1642	14R/B	2010
		<b>Hover-fly.</b>	<i>Epistrophe grossulariae</i>	(Meigen, 1882)	TG1642/41	14R,14Q/B	2020
		<b>Hover-fly.</b>	<i>Epistrophe nitidicollis</i>	(Meigen, 1822)	TG1642	14R/B	2004
		<b>Hover-fly.</b>	<i>Epistrophe eligans</i>	(Harris, 1780)	TG1642	14R/S	2020
		<b>Hover-fly.</b>	<i>Metasyrphus corollae</i>	(Fabricius, 1794)	TG1642	14R/B	2020
		<b>Hover-fly.</b>	<i>Eupeodes latifasciatus</i>	(Macquart, 1829)	TG1642	14R/B	2004
		<b>Hover-fly.</b>	<i>Eupeodes luniger</i>	(Meigen, 1822)	TG1642	14R/S	2020
		<b>Hover-fly.</b>	<i>Myiathropa florea</i>	(Linnaeus, 1758)	TG1642/41	14R,14Q/B	2020

Sheringham and Beeston Regis Commons SSSI /SAC

FAUNA: Hoverflies

INSECTA (Pterygota)	Family/Order	English Name.	Scientific Name.	Authority.	Grid Ref. Km sq.	Tetrad/ Common.	Last Record.
		<b>Hover-fly.</b>	<i>Episyrphus balteatus</i>	(De Geer, 1776)	TG1642/41	14R,14Q/BS	2020
		<b>Hover-fly.</b>	<i>Melangyna labiatarum</i>	(Verrall, 1901)	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Melangyna umbellatarum</i>	(Fabricius, 1787)	TG1642		1989
		<b>Hover-fly.</b>	<i>Meliscaeva cinctella</i>	(Zetterstedt, 1843)	TG1642	14R/B	2004
		<b>Hover-fly.</b>	<i>Meliscaeva auricollis</i>	(Meigen, 1822)	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Lejogaster metallina</i>	(Fabricius, 1777)	TG1642	14R/B	2002
		<b>Hover-fly.</b>	<i>Orthonevra nobilis</i>	(Fallén, 1817)	TG1642		1989
		<b>Hover-fly.</b>	<i>Chrysogaster cemiteriorum</i>	(Linnaeus, 1758)	TG1642		1987?
		<b>Hover-fly.</b>	<i>Chrysogaster solstitialis</i>	(Fallén, 1817)	TG1642	14R/B	2017
		<b>Hover-fly.</b>	<i>Pipizella virens</i>	(Fabricius, 1805)	TG1642		1987?
		<b>Ramsons Hover-fly.</b>	<i>Portevinia maculata</i>	(Fallén, 1817)	TG1641	14Q/B	2020
		<b>Hover-fly.</b>	<i>Tropidia scita</i>	(Harris, 1780)	TG1642	14R/BS	2020
		<b>Lesser Bulb-fly.</b>	<i>Eumerus strigatus</i>	(Fallén, 1817)	TG1642		1987?
		<b>Lesser Bulb-fly.</b>	<i>Eumerus tuberculatus</i>	Rondani, 1857	TG1642		1989
		<b>Hover-fly.</b>	<i>Pipiza noctiluca</i>	(Linnaeus, 1758)	TG1642		1989
		<b>Hover-fly.</b>	<i>Pipiza lugubris</i>	(Fabricius, 1775)	TG1642	14R/B	2004
		<b>Hover-fly.</b>	<i>Sericomyia silentis</i>	(Harris, 1776)	TG1642/41	14R,14Q/BS	2020
		<b>Greater Bulb-fly.</b>	<i>Merodon equestris</i>	(Fabricius, 1794)	TG1642	14R/BS	2020
		<b>Hover-fly.</b>	<i>Triglyphus primus</i>	Loew, 1840	TG1642		1989
		<b>Hover-fly.</b>	<i>Riponnensia splendens</i>	(Meigen, 1822)	TG1642		1989
		<b>Hover-fly.</b>	<i>Didea fasciata</i>	Macquart, 1834	TG1642	14R/S	2014
		<b>Hover-fly.</b>	<i>Xanthandrus comptus</i>	(Harris, 1780)	TG1642	14R/B	2014
		<b>Hover-fly.</b>	<i>Heringia senilis</i>	Sack , 1938	TG1642	14R/B	2014